

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		


U.S. Patent

Feb. 2, 1999

Sheet 1 of 61

5,867,542

FIG. 1



1A: CLOCK PHASE DETECTING CIRCUIT

0971229-012601

FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 8

FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 14

FIG. 15




FIG. 16




FIG. 16

FIG. 17




FIG. 17

FIG. 18




FIG. 19(a) 622T 460




FIG. 19(a)

FIG. 19(b)

FIG. 19(c)

FIG. 20




FIG. 21




FIG. 22




FIG. 23




FIG. 24




FIG. 25




FIG. 26




FIG. 27




FIG. 28





FIG. 29



F I G. 30




FIG. 31




FIG. 32




FIG. 33




FIG. 34




FIG. 35




FIG. 36




FIG. 37




FIG. 38




FIG. 39




FIG. 40




FIG. 41




FIG. 42




FIG. 43




FIG. 45




FIG. 46




FIG. 46 OF SHEET 46 OF 61

FIG. 47




FIG. 48





FIG. 49

FIG. 49






FIG. 51




FIG. 52




FIG. 53




FIG. 54




FIG. 55




FIG. 56




FIG. 57




FIG. 58




FIG. 59




FIG. 60
PRIOR ART




FIG. 61
PRIOR ART

